BIBLIOGRAPHY

1. Abbas Kahn, Zafar Iqbal (2011);simultaneous determination of cefdinir and cefixime in human plasma by RP HPLC/ UV detection method; Method development and validation and its application to pharmacokinetic study; journal of chromatography B; vol 879 2423-2429.
2. Alam Imran, Jat RK, Singh Rambir(2012); development and validation of reverse phase HPLC method for estimation of ondencetron Hydrochloride in Bulk Drug; international research journal of pharmacy; vol 3(2); 111-113.
3. Anadakumar karunakaran, kannan kamarajan,vetrichelvan thangarsu (2010); a validated RP- HPLC method for simultaneous estimation of Emtricitabine and Tenofovir disoproxil fumarate in pure and tablet dosage form; pelagia research library; vol 1(2); 52-60.
4. Anadakumar karunakaran, kannan kamarajan, vetrichelvan thangarsu (2010); development and validation of first derivative spectrophotometric method for the simultaneous estimation of Lamivudine and Tenofovir disoproxil fumarate in pure and tablet formulation scholars research library; vol 2(5); 221-228
5. Anindita behera, aurobindo parida, amit kumar meher, dannana gowri(2011); development and validation of spectrophotometric method for determination of emtricitabine and tenofovir disoproxil fumarate in bulk and tablet dosage form; international journal of pharmatech research; vol 3 (3) 1874- 1882.
6. Anindita Behera, Dannana G Sankar, swapan K moitra(2013); development and validation of A RP HPLC Method for dissolution test of Efavirenz tablets and its application to drug quality control studies;asian journal of pharmaceutical and clinical research; vol 6 (2) 180-185.
7. Ankur shukla, R.K Jat (2011);development and validation of head space gas chromatographic method for the determination of residual solvents in levetiracetam(API); international journal of pharmaceutical science and research; vol 2(5); 1270-1275
8. Arti soni, seema thakral (2013) simultaneous estimation of Tenofovir and emtricitabine in human plasma using HPLC after protein precipitation extraction, international journal of analytical and bioanalytical techniques, volume 4 issue 3 , 1000170

9. Bhavani N Patel, bhanu Bhai N suhagia (2012) RP- HPLC method development and validation of darunavir ethanolate in tablet dosage form; international journal of pharmacy and pharmaceutical sciences; vol 4 issue 3; 270-273.
10. Bojja Sowmya, Timmaraju Manish Kumar and nerella Raghu Nandan (2012); simultaneous determination of tenofovir disoproxil fumarate and lamuvudie by UV Spectroscopic method; international journal of Pharmacy and pharmaceutical science research; vol 2 (1), 9-15.
11. C palavan, LA Ram Prasad, P Srinivasu, JVLN Sheshagiri rao (2013);a new RP HPLC method for the simultaneous estimation of emtricitabine, efavirenz and tenofovir in tablet dosage forms;American Journal of Pharma tech research2013.
12. CH Venakat Reddiah, P rama devi, k mukkanti, P srinivasu (2012);development and validation of stability indicating HPLC method for combination tablet dosage form of efavirenz, Lamivudine and tenofovir in tablet; international Journal of pharmaceutical and Phytopharmacological research; vol 2(1); 40-45.
13. D parnitha, vanitha C, Prince Francis (2012) simultaneous estimation of emtricitabine, Tenofovir disoproxil fumarate and rilpivirine in bulk for mby RP- HPLC method.
14. D Sri vidya, YA Chowdary and TEGK Murthy(2013); development and validation of RP HPLC Method for simultaneous estimation of Tenofovir Disoproxil Fumarate and efavirenz in bulk and formulations; internatioan ljournal of pharmaceutical sciencesand research; vol 4(12), 4619-4624.
15. Deepthi komaraju G (2013) method development and validation for simultaneous estimation of emtricitabine and Tenofovir disoproxil fumarate in pure and tablet dosage form using RP –HPLC; Vol 2(10);1-11.
16. Erhan BAS and ismail murat(2013); first derivative spectrophotometric determination of cefixim and cefdinir in pharmaceutical preparations; turk journal of pharmaceutical sciences; vol 10(3) 321-328.
17. Golam Martuza shahed, MD Ashik Ullah, Abdullah al maruf(2011); a simple RP HPLC Method for the detremiantion of cefdinir in Human Serum; validation and application in pharmacokinetic study with healthy Bangladeshi male volunteers; journal of pharmaceutical sciences; vol 10 (2), 109-116.

18. Gorja ashok jahnavi bandela (2013) method development and validation for the simulataneous estimation of Lamivudine and Tenofovir disoproxil fumarate in pharmaceutical dosage forms by RP-HPLC;International journal of advanced research in pharmaceutical and biosciences; 2(1), 22-32
19. Haojing song, guiyan yaun, chumin wei (2012);HPLC method for pharmacokinetics of cefprozil diastereomers in human plasma; IOSR Journal of pharmacy; vol 2(2) 257-264.
20. Hymavathi K, Mahesh Babu D(2012) development and validation of RP HPLC method for the simultaneous estimation of Tenofovir disoproxil fumarate and Lamivudine in combined dosage forms; international journal of applied pharmaceutical sconces; vol 1(3) 277-284.
21. Jat RK, Sharma S(2012); development and validation of reversed phase HPLC method for estimation of simvastatin in pharmaceutical dosage forms; journal of drug delivery and therapeutics; 2(3); 121-124.
22. Jat RK, Sharma S(2012); quantitative estimation of fenofibrate in bulk drug and tablets by UV visible spectroscopy; journal of drug delivery and therapeutics;2 (3); 129-131.
23. John O onah, ukpe ajima (2011) spectrophotometric determination of Tenofovir disoproxil fumarate after complexation with ammonium molybdate and picric acid; international journal of drug development and research; vol 3 issue 199-204
24. Kumar pradeep, dwaivedi, kushnoor ashok (2011) validated HPTLC method for the determination of Tenofovir as bulk drug and in pharmaceutical dosage form; research journal of chemical sciences; vol 1(7); 33-37.
25. L satyanarayan, SV Naidu, M Narasimha Rao, Alok Kumar and Suresh (2011);the estimation of darunavir in tablet dosage forms by RP HPLC; asian journal of research Pharma sciences; vol 1 isuue 3;74 -76.
26. M venkatesh, ALMN sumanth, P venkateswara rao (2013);analytical method development and validation of simultaneous estimation of Tenofovir and Emtricitabine in bulk and pharmaceutical dosage forms by RP HPLC; Asian journal of pharmaceutical analysis and medicinal chemistry; vol 1 (2) 60-69.
27. Manikya rao ,T, t. Prabhakar (2013)simulataneous detremiantion of Lamivudine, Tenofovir disoproxil fumarate and efavirenz tablets by stability indicating isocratic RP-HPLC method with PDA detector, international journal of pharmacy 3(1); 270-276.

28. Manisha B mane (2013) RP- HPLC method for determination of darunavir in bulk and pharmaceutical dosage forms. international journal of pharmaceutical science res 21(2), jul- aug 2013 no 04 20-23
29. Murugan S Pranabesh Sikdar subhashit debnath and Niranjan babu M (2013);development and validation of first order derivative UV spectrophotometric method for the estimation of tenofovir disoproxil fumarate, lamuvudine, and efavirenz in bulk and tablet dosage form: international journal of pharmaceutical research and analysis; vol 3, issue 1, 29-32.
30. MV Kumaudhavalli R marget, B jaykar (2009) RP HPLC determination of cefdinir in bulk drug and pharmaceutical dosage form; journal of pharmacy research; vol 2 (6), 1141- 1143.
31. N Appala raju and shabana begum (2008); simultaneous RP HPLC method for the estimation of the emtricitabine, tenofovir disoproxil fumarate and efavirenz in tablet dosage forms; research journal of pharmaceutical technology; vol 1 (4) 522-525.
32. N appala raju, j venkateswara rao (2008) simultaneous estimation of Tenofovir disoproxil, emtricitabine and efavirenz in tablet dosage form by RP –HPLC, Oriental journal of chemistry; vol 24(2) 645-650.
33. P ravisankar, G devela rao, m krishan chaitanya(2013);development and validation of RP HPLC method for the determination of cefdinir in bulk and capsule dosage form; Indian journal of research in pharmacy and biotechnology; vol1 (2), 225- 263.
34. Prasanna A Nevase(2011) UV spectrophotometric method for estimation of Tenofovir disoproxil fumarate tablet dosage form. International journal of pharmaceutical research and development vol 3(3):11, may 2011(73-75)
35. Prathap B, Akalanka Dey and GH Srinivas rao (2014); analytical method development and validation of invitro dissolution studies of efavirenz, Lamivudine and Tenofovir Disproxil fumarate in pharmaceutical dosage form by RP HPLC; journal of global trends in pharmaceutical Sciences; vol 5(2) 515-520.
36. Rajesh Sharma and Pooja gupta(2009); A validated RP HPLC method for simultaneous estimation of Emtricitabine and tenofovir disoproxil fumarate in tablet dosage form; Eurasian journal of Analytical chemistry; vol 4(3), 276- 284.

37. Ram garg, Navneeth Singh, Kona S Srinivas, Binayak Deb and ayaz Ahmed(2011); UPLC method development and validation for cefditoren pivoxil in active pharmaceutical ingredient; journal of applied pharmaceutical sciences; vol 1(07), 149-153.
38. Ramesh J, Arul Prakasam KC, Sowmay Chavva, chinatam reddy Poojitha (2011);simultaneous estimation of Lamivudine and tenofovir disoproxil fumarate in pure and in tablet formulation by first derivative spectrophotometric method; IJPI Journal of analytical chemistry; vol 1(6) 16-22.
39. Raveendra B ganduri, Ram Prasad A lanka, Srinivasu Pamidi, jayachandra R, peddareddigari, JVLNS Rao(2011);new RP HPLC method for the determination of darunavir in tablet dosage form; asian journal of pharmaceutical research; vol 1issue 1,10- 14.
40. Ravindra babu G, A laxman rao and J venkateswara Rao (2013); development and validation of Novel HPLC method for estimation of darunavir in pharmaceutical formulations; international Journal of Research in pharmacy and chemistry; vol 3(2), 438- 443.
41. RK Jat, RC Chippa,S Sharma (2010); spectrophotometric estimation of fluoxamine maleate in tablets using hydrotropic agent; international journal of pharmaceutical quality assurance; vol 2(4); 73-75.
42. RK Jat, RC Chippa,S Sharma (2010); spectrophotometric quantification of etoricoxib in bulk drug and tablets using hydrotropic agent;pharmacophore; vol 1 (2), 96-102.
43. RK Jat, RC Chippa,S Sharma (2010); spectrophotometric quantification of carvidilol in bulk drug and tablets; Pharmacophore; vol 1(2); 90-95.
44. RK Jat, RC Chippa,S Sharma (2011); quantitative estimation of ezitimibe in bulk drug and tablets by UV Visible spectroscopy;Asian journal of pharmaceutical sciences and Clinical research vol 2 (4); 9-13.
45. RK Jat, RC Chippa,S Sharma (2012); quantitative estimation of telmisartan in bulk drug and tablets by UV Spectroscopy; international journal of drug research and technology; vol 2(3); 268 -272.

46. Shweta haveela(2012) development and validation of a stability indicating LC method for the determination of Tenofovir disoproxil fumarate in pharmaceutical dosage forms. songklankarian jounal of science and technology 34(6),615-622 Nov- Dec 2012.
47. Shwetha Havele and sunil R Dhaneswar(2012); development and validation of stability indicating LC method for the determination of Tenofovir Disoproxil Fumarate in pharmaceutical formulation; songkalanakarin journal of science and technology; vol 34(6) 615-622.
48. SK mastanamma vankuri sai sireesha, G alekhya, K haritha V arun babu (2014); New validated RP HPLC method for the estimation of darunavir in bulk and its dosage form; international research journal of pharmacy; vol 5(1), 13-16.
49. Sreekanth Nadig, Jane T Jacob, Ishwar Bhat, Kishore Raju V(2013); A stability indicating RP HPLC method for simultaneous estimation of emtricitabine,Tenofovir disoproxil fumarate and efavirenz in pharmaceutical dosage forms; international jornal of research and pharmaceutical sciences; vol 4 (2), 391- 396.
50. Srinivass rao narla, K saraswathi (2011);RP HPLC Methods for the determination of cephalosporin's(cefditoren pivoxil and cefdinir) in pharmaceutical dosage form;journal of pharmaceutical sciences and research; vol 3(1),1002-1004.
51. Sudha T, manjeera KK (2012) stability indicating RP –HPLC method for the simultaneous estimation of the anti retroviral drugs and in tablet dosage form; international journal of biology, pharmacy and allied sciences; vol 1 (9) 1322-1335.
52. Sunitha Tadi,gowri Manjora mulagada and palavan Chinnaiah (2013); A Rapid RP-HPLC method for the estimation of famciclovir in tablet dosage forms; journal of chemical and pharmaceutical research; vol 5 (1), 356- 360.
53. T sudha, krishan Manjeera (2013) chemo metric optimization for simultaneous determination of anti retroviral drugs by RP- HPLC; Vol 6 no 2; 223-233.